
Melia CE L600 1600 DALI

Article number 21528901620



Product feature

Driver type	DALI-2
Material of housing	Polycarbonate
Material of diffuser/optics	Polycarbonate (PC)
Light source	Integrated LED
Color of housing	White
RAL	9016
Gtin	7333160039430

Installation data

Cable entries	2
Connection	Terminal block 5x2.5
Looping	Yes
Through wiring	Yes
Material cable	Plastic

Lifetime

Calculated LED lifetime, L70 (h)	>100 000
Calculated LED lifetime, L80 (h)	>100 000

Measurements

Length (mm)	600
Height/depth (mm)	46
Width (mm)	72
Net weight (kg)	1.425

Photometric data

Color T (K)	3000; 4000; 5700
Color Rendering Index (CRI)	≥90
Light distribution	Asymmetric
Beam angle (°)	160
Efficacy (lm/W)	126
Flux (lm)	1510
SDCM	≤3

Technical data

IP class	IP44
IK class	IK08
Ambient temp, min (°C)	-20
Ambient temp, max (°C)	+45
Compliance	CE; REACH
Guarantee (years)	5

Electrical data

Frequency (Hz)	50-60
Voltage (V)	220-240
Isolation	Class 1
Power (W)	12
Qty per B16 MCB	54
Qty per C10 MCB	56
Qty per C16 MCB	90
Power factor	≥0.98

