

Silva C D84 8W 700 DALI 930

Article number 60169300720



Product feature

Driver type	DALI
Material of housing	Aluminium
Diffuser/optics	Reflector
Color of reflector	Mirror
Light source	Integrated LED
Color of housing	White

Installation data

Mounting	Recessed
Length cable (m)	2.5
Material cable	Plastic non-PVC

Lifetime

Calculated LED lifetime, L80 (h)	> 100 000
Calculated LED lifetime, L90 (h)	75 000
Driver lifetime (h)	100 000

Measurements

Height/depth (mm)	61
Diameter (mm)	84
Net weight (kg)	0.5

Photometric data

Color T (K)	3000
Color Rendering Index (CRI)	≥90
Light distribution	Direct
Beam description	Very wide
Efficacy (lm/W)	88
Flux (lm)	700
SDCM	≤3

Technical data

IP class	IP20
Ambient temp, min (°C)	+10
Ambient temp, max (°C)	+25
Compliance	CE; REACH

Electrical data

Frequency (Hz)	50-60
Voltage (V)	220-240
Isolation	Class 2
Power (W)	8
Standby power (W)	0.3
Qty per B16 MCB	130
Qty per C10 MCB	135
Qty per C16 MCB	221
Power factor	≥0.90

