

50225110

Unipolar flat mounting busbar support SB 205 100mm



With insulating bar supports you can mount and attach the busbars inside the electrical panel and cope with the forces experienced by the busbars during a short circuit.

Strong points

- Insulating materials
- Durability
- Adaptability

General characteristics

- High dielectric strength.
- High mechanical resistance.
- Amagnetism of assembly parts.
- High resistance to damp heat ("tropicalised" as standard).

Compliance with standards

- IEC 61439-1
- IEC 60865-1

Access to resources (ex: manuals)

Technical Characteristics	
Length of the product unit [mm]	99
140 111 611 1 1 1 1 1 7	2.0

Width of the product unit [mm]	38
Depth of the product unit [mm]	35
Weight [kg]	0.2
Busbar distance	125
Number of poles	1
Rated voltage	1000 Vac
Section	3x100

Classification

UNSPSC	39121321
ETIM Class	EC001166
IGCC	4462

Commerce

Effective date	1988-04-15
Offer Life Cycle Code	40
Country of origin	FR

ETIM - Electrical characteristics

Number of poles	1
Max. rated current [A]	3850

ETIM - Mechanical characteristics

Busbar distance	[mm]	125

Logistics

GTIN/EAN	3596031235193
Customs number	8546901000
Price unit	PC
Weight of the packing unit [kg]	0.218
Length of the packing unit [m]	0.85
Width of the packing unit [m]	0.13
Depth of the packing unit [m]	0.115
Norms	

Conformity to standards	IEC

2025-07-23 15:37:03 1/1